

Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459 Revision date: 02-02-2024 Version: 1.0

Warning



| SECTION 1: Identifi | cation of the substa | nce/mixture and of the company/u | Indertaking |
|----------------------------|----------------------------|---|-------------|
| 1.1. Product identifier | | | |
| Trade name SDS no | | : Nitrogen Hydrogen (96.5:3.5) : 1459 | |
| 1.2. Relevant identified u | uses of the substance or | mixture and uses advised against | |
| Relevant identified uses | | Industrial and professional uses. Perform r Test gas/Calibration gas. Laboratory use. Contact supplier for more information on u | |
| Uses advised against | | : Consumer use. | |
| 1.3. Details of the suppli | er of the safety data shee | <u>et</u> | |
| Company identification | | : Green ASU Plant Private Limited Whitefield Road, Mahadevapura Post 560048 Bangalore T 9740756696, 7760976502 & 080-418182 https://www.solgroup.com/it/safety-datashe msds@sol.it | |
| 1.4. Emergency telephor | ne number | | |
| Emergency telephone nun | nber | : 9740756696, 7760976502 & 080-4181820 | 0 |
| SECTION 2: Hazard | s identification | | |
| 2.1. Classification of the | substance or mixture | | |
| Classification according | to Regulation (EC) No. 12 | 272/2008 [CLP] | |
| Physical hazards | Gases under pressure : 0 | Compressed gas | H280 |
| 2.2. Label elements | | | |
| Labelling according to R | egulation (EC) No. 1272/2 | 2008 [CLP] | |
| Hazard pictograms (CLP) | | GHS04 | |
| Signal word (CLP) | | : Warning | |

Hazard statements (CLP) Precautionary statements (CLP) - Storage

2.3. Other hazards

: P410+P403 - Protect from sunlight. Store in a well-ventilated place.

: H280 - Contains gas under pressure; may explode if heated.

Asphyxiant in high concentrations.



Nitrogen Hydrogen (96.5:3.5) according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------|---|------|---|
| Nitrogen Compressed | CAS-No.: 7727-37-9 EC-No.: 231-783-9 EC Index-No.: REACH-no: *1 | 96.5 | Press. Gas (Comp.), H280 |
| hydrogen | CAS-No.: 1333-74-0 EC-No.: 215-605-7 EC Index-No.: 001-001-00-9 REACH-no: *1 | 3.5 | Flam. Gas 1A, H220 Press. Gas (Comp.), H280 |

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

*1: Listed in Annex IV / V REACH, exempted from registration.

*3: Registration not required: Substance manufactured or imported < 1t/y.

SECTION 4: First aid measures

4.1. Description of first aid measures

| - Inhalation | : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep |
|----------------|---|
| | victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing |
| | stopped. |
| - Skin contact | : Adverse effects not expected from this product. |
| - Eye contact | : Adverse effects not expected from this product. |

: Ingestion is not considered a potential route of exposure.

- Eye contact
- Ingestion

4.2. Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| Suitable extinguishing media | : Water spray or fog. |
|--|-----------------------|
|--|-----------------------|

| - Unsuitable extinguishing n | media |
|------------------------------|-------|
|------------------------------|-------|

: Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

| Specific hazards | : | Exposure to fire may cause containers to rupture/explode. |
|-------------------------------|---|---|
| Hazardous combustion products | : | None. |



Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

| 5.3. Advice for firefighters | |
|--|---|
| Specific methods | Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. If possible, stop flow of product. Use water spray or fog to knock down fire fumes if possible. Move containers away from the fire area if this can be done without risk. |
| Special protective equipment for fire fighters | Use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Try to stop release. Evacuate area. Monitor concentration of released product. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Ensure adequate air ventilation. Act in accordance with local emergency plan. Stay upwind.

6.2. Environmental precautions

Try to stop release.

6.3. Methods and material for containment and cleaning up

Ventilate area.

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safe use of the product

| : | The product must be handled in accordance with good industrial hygiene and safety |
|---|--|
| | procedures. |
| | Only experienced and properly instructed persons should handle gases under pressure. |
| | Consider pressure relief device(s) in gas installations. |
| | Ensure the complete gas system was (or is regularily) checked for leaks before use. |
| | Do not smoke while handling product. |
| | Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. |
| | Do not breathe gas. |
| | Avoid release of product into work area. |
| | |
| | |



Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

| Safe handling of the gas receptacle | : Refer to supplier's container handling instructions. Do not allow backfeed into the container. |
|---|--|
| | Protect containers from physical damage; do not drag, roll, slide or drop. |
| | When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) |
| | designed to transport cylinders. |
| | Leave valve protection caps in place until the container has been secured against either a |
| | wall or bench or placed in a container stand and is ready for use. If user experiences any difficulty operating valve discontinue use and contact supplier. |
| | Never attempt to repair or modify container valves or safety relief devices. |
| | Damaged valves should be reported immediately to the supplier. |
| | Keep container valve outlets clean and free from contaminants particularly oil and water. |
| | Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. |
| | Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. |
| | Never use direct flame or electrical heating devices to raise the pressure of a container. |
| | Do not remove or deface labels provided by the supplier for the identification of the content of the container. |
| | Containers should be stored in the vertical position and properly secured to prevent them from falling over. |
| 7.2. Conditions for safe storage, including an | ny incompatibilities |
| | Observe all regulations and local requirements regarding storage of containers. Containers should not be stored in conditions likely to encourage corrosion. Container valve guards or caps should be in place. |
| | Containers should be stored in the vertical position and properly secured to prevent them |
| | from falling over. |
| | Stored containers should be periodically checked for general condition and leakage. |
| | Keep container below 50°C in a well ventilated place. |
| | Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials. |
| 7.3. Specific end use(s) | |
| <u> </u> | None. |
| | |
| SECTION 8: Exposure controls/pers | sonal protection |
| 8.1. Control parameters | |
| No additional information available | |
| 8.2. Exposure controls | |
| 8.2.1. Appropriate engineering controls | |
| | Provide adequate general and local exhaust ventilation. |
| | Systems under pressure should be regularily checked for leakages. |
| | Ensure exposure is below occupational exposure limits (where available). |
| | Oxygen detectors should be used when asphyxiating gases may be released. |
| | Consider the use of a work permit system e.g. for maintenance activities. |
| 8.2.2. Individual protection measures, e.g. pe | Consider the use of a work permit system e.g. for maintenance activities. |
| 8.2.2. Individual protection measures, e.g. pe | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the |
| 8.2.2. Individual protection measures, e.g. pe | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. |
| 8.2.2. Individual protection measures, e.g. pe | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: |
| | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected. |
| | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: |
| • Eye/face protection • Skin protection | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected. : Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - specifications. |
| 8.2.2. Individual protection measures, e.g. pe Eye/face protection Skin protection Hand protection | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected. : Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - specifications. : Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risks, performance level 1 or |
| • Eye/face protection • Skin protection | Consider the use of a work permit system e.g. for maintenance activities. ersonal protective equipment A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected. : Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - specifications. : Wear working gloves when handling gas containers. |



Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

| - Other | : Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear. |
|--|---|
| Respiratory protection | : Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask. |
| | Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres. |
| Thermal hazards | : None necessary. |
| 8.2.3. Environmental exposure controls | |
| | Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | |
|---|---|
| Physical state at 20°C / 101.3kPa | : Gas. |
| - Colour | : Colourless. |
| Odour | : Odourless. |
| | Odour threshold is subjective and inadequate to warn of overexposure. |
| | Odour threshold is subjective and inadequate to warn of overexposure. |
| Melting point / Freezing point | : Not applicable for gas mixtures. |
| Boiling point | : Not applicable for gas mixtures. |
| | It is technically not possible to determine the boiling point or range of this mixture. |
| | Component with lowest boiling point: hydrogen -253 °C |
| Flammability | : Not available |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : Not applicable for gas mixtures. |
| Auto-ignition temperature | : Non flammable. |
| Decomposition temperature | : Not available |
| рН | : Not applicable for gas mixtures. |
| Viscosity, kinematic | : Not applicable. |
| Water solubility [20°C] | : Mixture is partially soluble in water |
| Partition coefficient n-octanol/water (Log Kow) | : Not applicable for gas mixtures. |
| Vapour pressure [20°C] | : Not applicable. |
| Vapour pressure [50°C] | : Not applicable. |
| Density and/or relative density | : Not applicable. |
| Relative vapour density (air=1) | : Lighter or similar to air. |
| Particle characteristics | Not applicable. |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

| Explosive properties | : | Not applicable. |
|---|---|----------------------------------|
| Explosion limits | : | Non flammable. |
| Oxidising properties | : | Not applicable. |
| | | |
| 9.2.2. Other safety characteristics | | |
| 9.2.2. Other safety characteristics Molar mass | : | Not applicable for gas mixtures. |

: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Other data

No reactivity hazard other than the effects described in sub-sections below. This mixture contains components with the following reactivity : Can form explosive mixture with air. May react violently with oxidants.



Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

| 10.2. Chemical stability | |
|--|--|
| | Stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | |
| | None. |
| 10.4. Conditions to avoid | |
| | Keep away from heat/sparks/open flames/hot surfaces. – No smoking. |
| 10.5. Incompatible materials | |
| | None. |
| 10.6. Hazardous decomposition products | |
| | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11: Toxicological information

| 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 | | |
|--|---|--|
| Acute toxicity | : No toxicological effects from this product. | |

| reate texicity | o i |
|---------------------------------------|--|
| Skin corrosion/irritation | : No known effects from this product. |
| Serious eye damage/irritation | : No known effects from this product. |
| Respiratory or skin sensitisation | : No known effects from this product. |
| Germ cell mutagenicity | : No known effects from this product. |
| Carcinogenicity | : No known effects from this product. |
| Toxic for reproduction : Fertility | : No known effects from this product. |
| Toxic for reproduction : unborn child | : No known effects from this product. |
| STOT-single exposure | : No known effects from this product. |
| STOT-repeated exposure | : No known effects from this product. |
| Aspiration hazard | : Not applicable for gases and gas mixtures. |
| | |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| Assessment | : Classification criteria are not met |
|--|---------------------------------------|
| EC50 48h - Daphnia magna [mg/l] | : No data available. |
| EC50 72h - Algae [mg/l] | : No data available. |
| LC50 96 h - Fish [mg/l] | : No data available. |
| 12.2. Persistence and degradability | |
| Assessment | : No data available. |
| 12.3. Bioaccumulative potential | |
| Assessment | : No data available. |
| <u>12.4. Mobility in soil</u> | |
| Assessment | : No data available. |
| 12.5. Results of PBT and vPvB assessment | |
| Assessment | : Not classified as PBT or vPvB. |
| 12.6. Endocrine disrupting properties | |
| Assessment | : |



Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

12.7. Other adverse effects

Effect on the ozone layer Effect on global warming

: None.

: Contains greenhouse gas(es).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| 13.1. Waste treatment methods | |
|---|---|
| | Contact supplier if guidance is required. |
| | Do not discharge into any place where its accumulation could be dangerous. |
| | Ensure that the emission levels from local regulations or operating permits are not exceeded. |
| | Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org for more guidance on suitable disposal methods. |
| List of hazardous waste codes (from Commission Decision 2000/532/EC as amended) | : 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04. |
| 13.2. Additional information | |

None.

SECTION 14: Transport information

14.1. UN number or ID number

| In accordance with DOT/ TDG/ Mexico/ IMDG / IATA | | |
|--|---|------|
| UN-No. | : | 1956 |

14.2. UN proper shipping name

| Transport by road/rail (DOT/TDG/Mexico) | : | COMPRESSED GAS, N.O.S. (Nitrogen Compressed , hydrogen) |
|---|---|---|
| Transport by air (IATA-DGR) | : | Compressed gas, n.o.s. (Nitrogen Compressed , hydrogen) |
| Transport by sea (IMDG) | : | COMPRESSED GAS, N.O.S. (Nitrogen Compressed , hydrogen) |

Е

14.3. Transport hazard class(es)

| Labelling | |
|---|---|
| | 2.2 : Non-flammable, non-toxic gases. |
| Transport by road/rail (DOT/TDG/Mexico) | |
| Class | : 2 |
| Classification code | : 1A |
| Hazard identification number | : 20 |
| Tunnel Restriction | : E - Passage forbidden through tunnels of category I |
| Transport by air (IATA-DGR) | |
| Class / Div. (Sub. risk(s)) | : 2.2 |
| Transport by sea (IMDG) | |
| Class / Div. (Sub. risk(s)) | : 2.2 |
| Emergency Schedule (EmS) - Fire | : F-C |
| Emergency Schedule (EmS) - Spillage | : S-V |
| 14.4. Packing group | |
| Transport by road/rail (DOT/TDG/Mexico) | : Not applicable. |
| Transport by air (IATA-DGR) | Not applicable. |
| Transport by sea (IMDG) | : Not applicable. |
| 14.5. Environmental hazards | |
| Transport by road/rail (DOT/TDG/Mexico) | : None. |
| Transport by air (ICAO-TI / IATA-DGR) | : None. |
| Transport by sea (IMDG) | : None. |



14.6. Special precautions for user

Safety Data Sheet

Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

| 14.0. Opecial precautions for user | |
|---|---|
| Packing Instruction(s) | |
| Transport by road/rail (DOT/TDG/Mexico) | : P200. |
| Transport by air (IATA-DGR) | |
| Passenger and Cargo Aircraft | : 200. |
| Cargo Aircraft only | : 200. |
| Transport by sea (IMDG) | : P200. |
| Special transport precautions | Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure there is adequate ventilation. Ensure that containers are firmly secured. Ensure valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. |
| 14.7. Maritime transport in bulk according to | IMO instruments |
| | Not applicable. |
| | |
| SECTION 15: Regulatory information | <u>n</u> |
| 15.1. Safety, health and environmental regulation | ations/legislation specific for the substance or mixture |
| EU-Regulations | |
| Restrictions on use | : Contains no substance(s) listed on the REACH Candidate List. |
| Other information, restriction and prohibition | : Ensure all national/local regulations are observed. |
| regulations | Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the |
| C C C C C C C C C C C C C C C C C C C | export and import of hazardous chemicals). |
| Seveso Directive : 2012/18/EU (Seveso III) | Not covered. |
| National regulations | |
| No additional information available | |
| 15.2. Chemical safety assessment | |
| | A CSA does not need to be carried out for this product. |
| | |
| SECTION 16: Other information | |
| | |
| Indication of changes | : Safety data sheet in accordance with commission regulation (EU) No 2020/878. |
| Training advice | : Receptacle under pressure. |
| Further information | : This Safety Data Sheet has been established in accordance with the applicable European |
| | Union legislation. |
| | Classification in accordance with the procedures and calculation methods of Regulation |

| Full text of H- and EUH-statements | | |
|------------------------------------|---|--|
| Flam. Gas 1A | Flammable gases, Category 1A | |
| H220 | Extremely flammable gas. | |
| H280 | Contains gas under pressure; may explode if heated. | |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas | |

(EC) 1272/2008 (CLP).



Nitrogen Hydrogen (96.5:3.5)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 1459

DISCLAIMER OF LIABILITY

Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.
 Details given in this document are believed to be correct at the time of going to press.
 Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document